# **LAr Test Stand**

Brookhaven National Lab 11/24/2014

### **Outline**

- Our Requirements
- Upgrade for existing test stand
- Discussion with Brian Rebel
- Outstanding questions

## **Upgrade - existing test stand**

- LAr purification system design Before moving to big dewar we want to design and test LAr purification for current test stand and see how LAr purification + existing GAr purification works together & helps in reducing time for purification cycle.
- VME Readout system Required both for longitudinal (as a check) and transverse diffusion measurement.
- Transverse Diffusion measurement MicroBooNE ASIC + electronic feedthrough + anode design

### Discussion with Brian Rebel - Fermilab


#### LAPD: contamination removed from system at different stages of operation

	Oxygen (g)	Water (g)
Gas recirculation	0.38	0.98
Cryostat filling	5.68	-
Integrated ullage outgassing during pumped liquid filtration	1.41	1.39
Pumped liquid filtration	24.09	_
Total	31.56	2.37
gram species per kilogram filter material	0.49	0.04

#### \* LAr purification :

- \* 4A molecular sieve to remove water
- \* CU-0226 S (Alumina (80-90%), CuO (10-14%), MnO (< 1%), NiO (< 1%))
- \* Very hard to estimate the amount of water removed
- \* The CuO used in LAPD removed 0.49g of oxygen for every kg of filter material
- \* Molecular sieve can remove small amount of N<sub>2</sub> but not controlled well

### H<sub>2</sub>O Contamination - MTS (Fermilab)



- \* Direct relation between electron lifetime and water concentration
- \* Water contamination mainly comes from materials in vapor space, outgases forever and is a constant source of contamination. But it can be controlled by combination filters and maintaining surface area at a temperature below ~120K
- \* B. Rebel: Second LAr purification inside cryostat is required to maintain purification but gas purification may also work
- \* Never return condensed liquid back into the bulk.

# **Outstanding Questions**

- Engineering Support ?
- What exactly we need for justifying engineering support
- Any possible test with big dewar in next few months?